



IPG # 4560
Acetate Cloth Electrical Tape, Printable

Product Description: IPG 4560 utilizes an Acetate cloth backing with a thermosetting rubber adhesive system. This product offers high adhesion, conformability, printability, excellent insulating properties and is hand tearable.

Applications: Coil wrapping, interlayer insulation, and tabbing.
Will accept varnish impregnation.

Technical Data:

Backing :	Acetate Cloth	Colors:	Black, White
Backing Thickness:	6.0 mil (0.152 mm)	Adhesive:	Rubber Thermosetting
Total Thickness:	7.0 mil (0.178 mm)	Dielectric Strength:	2000 Volts
Temp. / Class:	130°C / B	Insulation Resistance:	10⁴ megohms
Tensile Strength:	40 lbs/in (175 N/25mm)	Adhesion to Steel:	55 oz/in (15 N/25mm)
Elongation:	15%	Storage Stability:	Good
Electrolytic Corrosion	1.0 Direct/ A , 1*	Solvent Resistance:	Very Good
Flammability	BU 1*	Moisture Resistance:	Very Good
UL File #	E20780		

*VDE 0340

Figures shown are averages and should not be used for writing specifications. Similar test conducted on any individual sample may vary in results. Tests are conducted in accordance with ASTM D1000 where applicable.

NOTICE: While we believe them to be reliable, the statements and information herein are only for general guidance and are not warrants or guarantees for accuracy and completeness. The user must by test or otherwise determine suitability for his purpose. THERE IS NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, Our standard terms and conditions of sale apply exclusively to all orders, and ALL LIABILITY FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL, EXCEEDING PURCHASE PRICE IS EXCLUDED. No one is authorized by us to make oral warranties. We reserve the right to make changes without notice or obligation in our products and publications.

01-08